


Tetrakis(2-amino-4-methylpyridinium) *cyclo*-tetra- μ_2 -oxido-tetrakis[dioxidovanadate(V)] tetrahydrate

Masoumeh Tabatabae, Ghasem Ahadiat and Krešimir Molčanov

Acta Cryst. (2011). **E67**, m1090

This open-access article is distributed under the terms of the Creative Commons Attribution Licence
<http://creativecommons.org/licenses/by/2.0/uk/legalcode>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are cited.



Acta Crystallographica Section E: Structure Reports Online is the IUCr's highly popular open-access structural journal. It provides a simple and easily accessible publication mechanism for the growing number of inorganic, metal-organic and organic crystal structure determinations. The electronic submission, validation, refereeing and publication facilities of the journal ensure very rapid and high-quality publication, whilst key indicators and validation reports provide measures of structural reliability. The journal publishes over 4000 structures per year. The average publication time is less than one month.

Crystallography Journals Online is available from journals.iucr.org

Tetrakis(2-amino-4-methylpyridinium) cyclo-tetra- μ_2 -oxido-tetrakis[dioxido-vanadate(V)] tetrahydrate

Masoumeh Tabatabaei,^{a*} Ghasem Ahadiat^a and Krešimir Molčanov^b

^aDepartment of Chemistry, Islamic Azad University, Yazd branch, Yazd, Iran, and
^bDepartment of Physical Chemistry, Rudjer Bošković Institute, Bijenička 54, HR-10000 Zagreb, Croatia
Correspondence e-mail: tabatabaei45m@yahoo.com


Received 28 June 2011; accepted 5 July 2011

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$; H-atom completeness 91%; disorder in solvent or counterion; R factor = 0.044; wR factor = 0.129; data-to-parameter ratio = 15.7.

The asymmetric unit of the title compound, $(\text{C}_6\text{H}_9\text{N}_2)_4[\text{V}_4\text{O}_{12}] \cdot 4\text{H}_2\text{O}$, contains half of a $[\text{V}_4\text{O}_{12}]^{4-}$ anion, two 2-amino-4-methylpyridinium, $(2\text{a}4\text{mpH})^+$, cations and two water molecules. One water molecule is disordered over two sets of sites with equal occupancies and the H atoms for this molecule were not included in the refinement. The cation lies on an inversion center with four tetrahedral VO_4 units each sharing two vertices, forming an eight-membered ring. In the crystal, the components are linked by intermolecular $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds, forming a one-dimensional network along [100]. Further stabilization is provided by weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds. In addition, $\pi-\pi$ stacking interactions with centroid–centroid distances of 3.5420 (18), 3.7577 (18) and 3.6311 (19) \AA are observed.

Related literature

For related structures, see: Paredes-García *et al.* (2008); Nakano *et al.* (2002).



Experimental

Crystal data

$(\text{C}_6\text{H}_9\text{N}_2)_4[\text{V}_4\text{O}_{12}] \cdot 4\text{H}_2\text{O}$
 $M_r = 900.39$
Triclinic, $P\bar{1}$

$a = 7.8739(3)\text{ \AA}$
 $b = 11.1880(5)\text{ \AA}$
 $c = 11.7618(6)\text{ \AA}$

Data collection

Oxford Diffraction Xcalibur Nova R diffractometer
Absorption correction: multi-scan (*CrysAlis PRO*; Oxford Diffraction, 2007)
 $T_{\min} = 0.518$, $T_{\max} = 1$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$
 $wR(F^2) = 0.129$
 $S = 1.05$
3932 reflections
250 parameters
3 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.47\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.33\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1—H1 \cdots O1 ⁱ	0.86	1.85	2.700 (3)	167
N2—H2A \cdots O3 ⁱ	0.86	2.00	2.861 (3)	178
N2—H2B \cdots O2 ⁱⁱ	0.86	2.13	2.959 (3)	161
N3—H3 \cdots O4 ⁱⁱ	0.86	1.92	2.767 (3)	167
N4—H4A \cdots O6 ⁱⁱ	0.86	2.26	2.995 (4)	143
N4—H4B \cdots O5 ⁱ	0.86	2.04	2.883 (4)	165
C2—H2 \cdots O1 ⁱⁱ	0.93	2.60	3.363 (4)	140
C2—H2 \cdots O2 ⁱⁱ	0.93	2.64	3.371 (4)	136
C4—H4 \cdots O5	0.93	2.52	3.352 (4)	149

Symmetry codes: (i) $x, y + 1, z$; (ii) $x - 1, y + 1, z$.

Data collection: *CrysAlis PRO* (Oxford Diffraction, 2007); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS86* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and *Mercury* (Macrae *et al.*, 2008); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

This research was supported by the Islamic Azad University, Yazd Branch, and by the Ministry of Science, Education and Sports of Croatia, grant No. 098-1191344-2943.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH5277).

References

- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). *J. Appl. Cryst.* **41**, 466–470.
- Nakano, H., Ozeki, T. & Yagasaki, A. (2002). *Acta Cryst.* **C58**, m464–m465.
- Oxford Diffraction (2007). *CrysAlis PRO*. Oxford Diffraction Ltd, Abingdon, England.
- Paredes-García, V., Gaune, S., Saldías, M., Garland, M. T., Baggio, R., Vega, A., Salah ElFallah, M., Escuer, A., Le Fur, E., Venegas-Yazigi, D. & Spodine, E. (2008). *Inorg. Chim. Acta*, **361**, 3681–3689.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supplementary materials

Acta Cryst. (2011). E67, m1090 [doi:10.1107/S1600536811026912]

Tetrakis(2-amino-4-methylpyridinium) cyclo-tetra- μ_2 -oxido-tetrakis[dioxidovanadate(V)] tetrahydrate

M. Tabatabaei, G. Ahadiat and K. Molcanov

Comment

The chemistry of polyoxovanadate compounds are of great interest. Hybrid organo-inorganic compounds based on vanadium oxides present potential applications in catalysis, electron conductivity, magnetism and photochemistry (Paredes-García *et al.*, 2008). The VO₄ group is an important building block of many polynuclear species. A well known example is the V₄O₁₂⁴⁻ ring which has an eight-membered ring structure formed by four VO₄ tetrahedra sharing vertices (Nakano *et al.*, 2002). The complexing ability of the V₄O₁₂⁴⁻ ion with transition metal ions is of great interest and the ring takes part as a ligand (Paredes-García *et al.*, 2008). Herein we report the crystal structure of the title compound obtained as a side product from a reaction of ammonium vanadate, cobalt nitrate, boric acid and 2-Amino-4-methylpyridine.

The asymmetric unit of the title compound, (2a4mpH)₄(V₄O₁₂).4H₂O, comprises a half of a V₄O₁₂⁴⁻ anion, two (2a4mpH)⁺ cations and two solvent molecules of water (Fig. 1). One molecule of water is disordered over two positions (O7 and O8) with equal occupancies.

The V₄O₁₂⁴⁻ ion is centrosymmetric with four tetrahedral VO₄ units which share two vertices with each other to form an eight-membered ring. The 2-Amino-4-methylpyridine molecule is protonated *via* its endocyclic nitrogen atom. In the crystal, extensive intermolecular N—H···O hydrogen-bonding interactions (Table 1) between cations, anions and solvent water molecules form 1-D motive chains along [100] (Fig. 2). The crystal packing is defined by a layered structure in which chains involving 2a4mpH⁺ and V₄O₁₂⁴⁻ ions are associated *via* π–π stacking interactions between the aromatic rings of (2a4mpH)⁺ cations into layers parallel to (110) (Fig. 3).

Experimental

Ammonium vanadate, cobalt nitrate hexahydrate, boric acid and 2-amino-4-methylpyridine (in molar ratio 0.5:1:1:2) were dissolved in H₂O (50ml). The reaction mixture was placed in a Parr-Teflon lined stainless steel vessel. It was sealed and heated at 443K for 48 h. The reaction mixture was gradually cooled to room temperature. Pale yellow crystals were isolated from solution.

Refinement

A water molecule is disordered over two positions (O7 and O8) with equal occupancies. The H atoms for this molecule were not located nor were they included in the refinement. They are however, included in the molecular formula. Hydrogen atoms bound to the water molecule O9 were refined using the following restraints: O—H bond length 0.95 (2) Å and H···H distance 1.50 (4) Å. All other H atoms were placed in calculated positions with C-H = 0.93 - 0.96 Å and N-H = 0.86 Å and were included in the refinement with U_{iso}(H) = 1.2U_{eq}(C, N) or 1.5U_{eq}(C_{methyl})

supplementary materials

Figures




Fig. 1. *ORTEP-3* drawing of the asymmetric unit of the title compound with displacement ellipsoids drawn at the 50 % probability level and hydrogen atoms are depicted as spheres of arbitrary radii. Symmetry operator: (i) $2 - x, -y, 1 - z$.




Fig. 2. A hydrogen-bonded (dotted lines) chain consisting of anions and cations, extending in the direction [100]. The solvent water molecules are not shown.




Fig. 3. Packing of the title compound viewed along [100] with $\pi-\pi$ stacking interactions shown as dashed lines.

Tetrakis(2-amino-4-methylpyridinium) cyclo-tetra- μ_2 -oxido-tetrakis[dioxidovanadate(V)] tetrahydrate

Crystal data



$Z = 1$

$M_r = 900.39$

$F(000) = 332$

Triclinic, $P\bar{1}$

$D_x = 1.557 \text{ Mg m}^{-3}$

Hall symbol: -P 1

$\text{Cu } K\alpha$ radiation, $\lambda = 1.54179 \text{ \AA}$

$a = 7.8739 (3) \text{ \AA}$

Cell parameters from 4890 reflections

$b = 11.1880 (5) \text{ \AA}$

$\theta = 4.0\text{--}75.8^\circ$

$c = 11.7618 (6) \text{ \AA}$

$\mu = 8.59 \text{ mm}^{-1}$

$\alpha = 73.609 (4)^\circ$

$T = 293 \text{ K}$

$\beta = 76.945 (4)^\circ$

Prism, pale yellow

$\gamma = 79.342 (4)^\circ$

$0.15 \times 0.15 \times 0.10 \text{ mm}$

$V = 960.15 (7) \text{ \AA}^3$

Data collection

Oxford Diffraction Xcalibur Nova R diffractometer

3932 independent reflections

graphite

3371 reflections with $I > 2\sigma(I)$

Detector resolution: $10.4323 \text{ pixels mm}^{-1}$

$R_{\text{int}} = 0.033$

ω scans

$\theta_{\max} = 76.0^\circ, \theta_{\min} = 4.0^\circ$

Absorption correction: multi-scan (*CrysAlis PRO*; Oxford Diffraction, 2007)

$h = -9 \rightarrow 9$

$T_{\min} = 0.518, T_{\max} = 1$

$k = -13 \rightarrow 13$

8031 measured reflections

$l = -14 \rightarrow 11$

Refinement

Refinement on F^2

3 restraints

Least-squares matrix: full

$$R[F^2 > 2\sigma(F^2)] = 0.044$$

$$wR(F^2) = 0.129$$

$$S = 1.05$$

3932 reflections

250 parameters

H atoms treated by a mixture of independent and constrained refinement

$$w = 1/[\sigma^2(F_o^2) + (0.085P)^2 + 0.0501P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} = 0.001$$

$$\Delta\rho_{\max} = 0.47 \text{ e \AA}^{-3}$$

$$\Delta\rho_{\min} = -0.33 \text{ e \AA}^{-3}$$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
V2	0.96401 (5)	0.16480 (4)	0.30891 (4)	0.04115 (14)	
V1	0.95947 (5)	-0.13283 (4)	0.42124 (4)	0.03986 (14)	
O1	0.9714 (3)	-0.24965 (19)	0.3592 (2)	0.0530 (5)	
O2	1.0932 (2)	-0.17853 (19)	0.53675 (18)	0.0498 (4)	
O3	0.7553 (3)	-0.0950 (2)	0.4789 (2)	0.0589 (5)	
O4	1.0430 (2)	0.00128 (17)	0.30665 (17)	0.0473 (4)	
O5	0.7916 (3)	0.2148 (2)	0.2444 (2)	0.0575 (5)	
O6	1.1255 (3)	0.2451 (2)	0.2325 (2)	0.0600 (5)	
C1	0.5148 (3)	0.6860 (2)	0.4084 (2)	0.0446 (5)	
C2	0.3830 (4)	0.6228 (3)	0.3964 (3)	0.0489 (6)	
H2	0.2663	0.645	0.4292	0.059*	
C3	0.4245 (5)	0.5298 (3)	0.3373 (3)	0.0577 (7)	
C4	0.6019 (5)	0.4953 (3)	0.2905 (3)	0.0647 (8)	
H4	0.6333	0.4311	0.2509	0.078*	
C5	0.7261 (4)	0.5561 (3)	0.3034 (3)	0.0620 (7)	
H5	0.8432	0.534	0.2714	0.074*	
C6	0.2802 (6)	0.4652 (4)	0.3238 (4)	0.0836 (12)	
H6C	0.3308	0.4022	0.2805	0.125*	
H6A	0.1994	0.526	0.2801	0.125*	
H6B	0.2188	0.4264	0.4021	0.125*	
N1	0.6839 (3)	0.6492 (2)	0.3625 (2)	0.0497 (5)	
H1	0.7662	0.6853	0.3708	0.06*	
N2	0.4799 (3)	0.7794 (2)	0.4625 (2)	0.0547 (6)	
H2A	0.5642	0.8155	0.4679	0.066*	
H2B	0.3731	0.8038	0.4921	0.066*	
C7	0.5200 (4)	1.0124 (3)	0.2050 (3)	0.0523 (6)	
C8	0.6928 (4)	0.9673 (3)	0.1585 (3)	0.0521 (6)	
H8	0.7863	1.0016	0.1677	0.062*	
C9	0.7251 (4)	0.8738 (3)	0.1000 (3)	0.0563 (7)	

supplementary materials

C10	0.5819 (5)	0.8220 (3)	0.0874 (3)	0.0622 (7)	
H10	0.6011	0.7592	0.0466	0.075*	
C11	0.4163 (4)	0.8645 (3)	0.1352 (3)	0.0601 (7)	
H11	0.3217	0.8295	0.1287	0.072*	
C12	0.9095 (5)	0.8251 (4)	0.0517 (4)	0.0783 (10)	
H12B	0.9078	0.7602	0.0133	0.117*	
H12A	0.9734	0.7914	0.1167	0.117*	
H12C	0.9656	0.8924	-0.0061	0.117*	
N3	0.3879 (3)	0.9573 (3)	0.1922 (2)	0.0559 (6)	
H3	0.2815	0.9827	0.2218	0.067*	
N4	0.4820 (4)	1.1037 (3)	0.2601 (3)	0.0750 (8)	
H4A	0.3743	1.1281	0.2878	0.09*	
H4B	0.5649	1.1391	0.2686	0.09*	
O9	0.3335 (12)	0.6497 (8)	-0.0146 (6)	0.186 (3)	
O7	0.0661 (13)	0.4852 (7)	0.0806 (8)	0.121 (3)	0.5
O8	0.754 (2)	0.5676 (10)	-0.0400 (7)	0.191 (7)	0.5
H9A	0.255 (15)	0.616 (10)	-0.047 (11)	0.3*	
H9B	0.385 (17)	0.573 (7)	0.037 (10)	0.3*	

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
V2	0.0395 (2)	0.0430 (2)	0.0433 (2)	-0.00904 (16)	-0.01011 (16)	-0.01024 (17)
V1	0.0361 (2)	0.0433 (2)	0.0449 (2)	-0.00975 (15)	-0.00796 (16)	-0.01537 (17)
O1	0.0542 (10)	0.0535 (10)	0.0622 (12)	-0.0098 (8)	-0.0159 (9)	-0.0259 (9)
O2	0.0471 (9)	0.0566 (10)	0.0500 (10)	-0.0079 (8)	-0.0129 (8)	-0.0164 (8)
O3	0.0415 (9)	0.0704 (13)	0.0701 (13)	-0.0124 (8)	-0.0044 (9)	-0.0273 (11)
O4	0.0453 (9)	0.0458 (9)	0.0518 (10)	-0.0089 (7)	-0.0060 (7)	-0.0141 (8)
O5	0.0538 (11)	0.0611 (12)	0.0635 (12)	-0.0017 (9)	-0.0250 (9)	-0.0175 (10)
O6	0.0578 (11)	0.0601 (12)	0.0615 (12)	-0.0238 (9)	-0.0071 (9)	-0.0069 (10)
C1	0.0447 (12)	0.0455 (12)	0.0445 (12)	-0.0119 (9)	-0.0129 (10)	-0.0050 (10)
C2	0.0446 (12)	0.0478 (13)	0.0556 (15)	-0.0120 (10)	-0.0164 (11)	-0.0057 (11)
C3	0.0701 (17)	0.0508 (14)	0.0603 (17)	-0.0165 (13)	-0.0298 (14)	-0.0074 (13)
C4	0.082 (2)	0.0559 (16)	0.0640 (18)	-0.0073 (15)	-0.0203 (16)	-0.0231 (14)
C5	0.0563 (16)	0.0669 (18)	0.0613 (18)	-0.0024 (13)	-0.0081 (13)	-0.0192 (15)
C6	0.103 (3)	0.071 (2)	0.098 (3)	-0.033 (2)	-0.049 (2)	-0.018 (2)
N1	0.0434 (11)	0.0548 (12)	0.0530 (13)	-0.0138 (9)	-0.0096 (9)	-0.0113 (10)
N2	0.0443 (11)	0.0592 (13)	0.0667 (15)	-0.0142 (9)	-0.0080 (10)	-0.0224 (12)
C7	0.0422 (13)	0.0661 (16)	0.0475 (14)	-0.0106 (11)	-0.0094 (10)	-0.0095 (12)
C8	0.0453 (13)	0.0668 (17)	0.0436 (13)	-0.0120 (11)	-0.0086 (10)	-0.0097 (12)
C9	0.0547 (15)	0.0694 (18)	0.0410 (13)	-0.0093 (13)	-0.0070 (11)	-0.0086 (12)
C10	0.0710 (19)	0.0665 (18)	0.0530 (16)	-0.0120 (15)	-0.0173 (14)	-0.0147 (14)
C11	0.0597 (16)	0.0683 (18)	0.0555 (16)	-0.0216 (14)	-0.0220 (13)	-0.0033 (14)
C12	0.066 (2)	0.097 (3)	0.069 (2)	-0.0061 (18)	0.0031 (17)	-0.032 (2)
N3	0.0404 (11)	0.0698 (15)	0.0544 (13)	-0.0123 (10)	-0.0082 (9)	-0.0077 (11)
N4	0.0472 (13)	0.090 (2)	0.097 (2)	-0.0088 (13)	-0.0057 (14)	-0.0436 (19)
O9	0.225 (8)	0.230 (8)	0.116 (4)	-0.091 (6)	-0.042 (4)	-0.016 (5)
O7	0.161 (8)	0.072 (4)	0.101 (6)	-0.012 (4)	-0.004 (5)	0.007 (4)

O8	0.38 (2)	0.118 (7)	0.071 (5)	-0.122 (11)	0.017 (8)	-0.006 (5)
----	----------	-----------	-----------	-------------	-----------	------------

Geometric parameters (\AA , $^\circ$)

V2—O5	1.636 (2)	N2—H2A	0.86
V2—O6	1.637 (2)	N2—H2B	0.86
V2—O2 ⁱ	1.812 (2)	C7—N4	1.314 (4)
V2—O4	1.8258 (18)	C7—N3	1.358 (4)
V1—O3	1.625 (2)	C7—C8	1.404 (4)
V1—O1	1.6467 (19)	C8—C9	1.364 (5)
V1—O2	1.809 (2)	C8—H8	0.93
V1—O4	1.8232 (19)	C9—C10	1.414 (5)
O2—V2 ⁱ	1.812 (2)	C9—C12	1.495 (5)
C1—N2	1.328 (4)	C10—C11	1.353 (5)
C1—N1	1.353 (4)	C10—H10	0.93
C1—C2	1.411 (4)	C11—N3	1.349 (5)
C2—C3	1.361 (4)	C11—H11	0.93
C2—H2	0.93	C12—H12B	0.96
C3—C4	1.406 (5)	C12—H12A	0.96
C3—C6	1.513 (4)	C12—H12C	0.96
C4—C5	1.346 (5)	N3—H3	0.86
C4—H4	0.93	N4—H4A	0.86
C5—N1	1.362 (4)	N4—H4B	0.86
C5—H5	0.93	O9—H9A	0.97 (2)
C6—H6C	0.96	O9—H9B	0.98 (2)
C6—H6A	0.96	O7—O8 ⁱⁱ	1.460 (18)
C6—H6B	0.96	O8—O7 ⁱⁱ	1.460 (18)
N1—H1	0.86		
O5—V2—O6	109.93 (12)	C1—N1—C5	121.2 (3)
O5—V2—O2 ⁱ	109.51 (10)	C1—N1—H1	119.4
O6—V2—O2 ⁱ	111.16 (11)	C5—N1—H1	119.4
O5—V2—O4	110.27 (10)	C1—N2—H2A	120
O6—V2—O4	106.15 (10)	C1—N2—H2B	120
O2 ⁱ —V2—O4	109.79 (9)	H2A—N2—H2B	120
O3—V1—O1	108.79 (11)	N4—C7—N3	119.4 (3)
O3—V1—O2	110.32 (11)	N4—C7—C8	123.0 (3)
O1—V1—O2	110.20 (10)	N3—C7—C8	117.5 (3)
O3—V1—O4	110.02 (11)	C9—C8—C7	120.8 (3)
O1—V1—O4	109.41 (10)	C9—C8—H8	119.6
O2—V1—O4	108.10 (9)	C7—C8—H8	119.6
V1—O2—V2 ⁱ	129.30 (11)	C8—C9—C10	119.0 (3)
V1—O4—V2	123.94 (10)	C8—C9—C12	120.7 (3)
N2—C1—N1	118.9 (2)	C10—C9—C12	120.3 (3)
N2—C1—C2	122.9 (3)	C11—C10—C9	119.4 (3)
N1—C1—C2	118.2 (3)	C11—C10—H10	120.3
C3—C2—C1	120.8 (3)	C9—C10—H10	120.3
C3—C2—H2	119.6	N3—C11—C10	120.4 (3)

supplementary materials

C1—C2—H2	119.6	N3—C11—H11	119.8
C2—C3—C4	118.9 (3)	C10—C11—H11	119.8
C2—C3—C6	119.7 (3)	C9—C12—H12B	109.5
C4—C3—C6	121.4 (3)	C9—C12—H12A	109.5
C5—C4—C3	119.5 (3)	H12B—C12—H12A	109.5
C5—C4—H4	120.3	C9—C12—H12C	109.5
C3—C4—H4	120.3	H12B—C12—H12C	109.5
C4—C5—N1	121.4 (3)	H12A—C12—H12C	109.5
C4—C5—H5	119.3	C11—N3—C7	122.8 (3)
N1—C5—H5	119.3	C11—N3—H3	118.6
C3—C6—H6C	109.5	C7—N3—H3	118.6
C3—C6—H6A	109.5	C7—N4—H4A	120
H6C—C6—H6A	109.5	C7—N4—H4B	120
C3—C6—H6B	109.5	H4A—N4—H4B	120
H6C—C6—H6B	109.5	H9A—O9—H9B	102 (4)
H6A—C6—H6B	109.5		
O3—V1—O2—V2 ⁱ	-9.82 (19)	C3—C4—C5—N1	0.9 (5)
O1—V1—O2—V2 ⁱ	-129.97 (15)	N2—C1—N1—C5	-178.3 (3)
O4—V1—O2—V2 ⁱ	110.52 (14)	C2—C1—N1—C5	1.7 (4)
O3—V1—O4—V2	29.34 (16)	C4—C5—N1—C1	-1.3 (5)
O1—V1—O4—V2	148.80 (13)	N4—C7—C8—C9	-178.8 (3)
O2—V1—O4—V2	-91.18 (13)	N3—C7—C8—C9	1.7 (5)
O5—V2—O4—V1	-86.26 (15)	C7—C8—C9—C10	-0.5 (5)
O6—V2—O4—V1	154.71 (13)	C7—C8—C9—C12	-179.4 (3)
O2 ⁱ —V2—O4—V1	34.48 (15)	C8—C9—C10—C11	-1.1 (5)
N2—C1—C2—C3	178.2 (3)	C12—C9—C10—C11	177.8 (3)
N1—C1—C2—C3	-1.8 (4)	C9—C10—C11—N3	1.4 (5)
C1—C2—C3—C4	1.4 (5)	C10—C11—N3—C7	0.0 (5)
C1—C2—C3—C6	-178.9 (3)	N4—C7—N3—C11	179.0 (3)
C2—C3—C4—C5	-1.0 (5)	C8—C7—N3—C11	-1.5 (4)
C6—C3—C4—C5	179.3 (4)		


Symmetry codes: (i) $-x+2, -y, -z+1$; (ii) $-x+1, -y+1, -z$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D\cdots H\cdots A$	$D\cdots H$	$H\cdots A$	$D\cdots A$	$D\cdots H\cdots A$
N1—H1 \cdots O1 ⁱⁱⁱ	0.86	1.85	2.700 (3)	167
N2—H2A \cdots O3 ⁱⁱⁱ	0.86	2.00	2.861 (3)	178
N2—H2B \cdots O2 ^{iv}	0.86	2.13	2.959 (3)	161
N3—H3 \cdots O4 ^{iv}	0.86	1.92	2.767 (3)	167
N4—H4A \cdots O6 ^{iv}	0.86	2.26	2.995 (4)	143
N4—H4B \cdots O5 ⁱⁱⁱ	0.86	2.04	2.883 (4)	165
C2—H2 \cdots O1 ^{iv}	0.93	2.60	3.363 (4)	140
C2—H2 \cdots O2 ^{iv}	0.93	2.64	3.371 (4)	136
C4—H4 \cdots O5	0.93	2.52	3.352 (4)	149

Symmetry codes: (iii) $x, y+1, z$; (iv) $x-1, y+1, z$.

Fig. 1



supplementary materials

Fig. 2




Fig. 3

